

Sources of Propagating Wood for Cherry Varieties and Species in the United States and Canada

H. W. FOGLE,¹ K. W. HANSON,² R. M. PETERSON,³
L. WHITTON,⁴ and H. W. YOUNG⁵

The Fruit Gardens Committee of the American Pomological Society presents the following list of sources of propagating wood for cherry species and varieties currently available. This is the fourth in a series of such lists. Previous lists were published in *Fruit Varieties and Horticultural Digest* as follows:

1. Apples—9(3):38-48. 1954
2. Pears—11(1):6-15. 1956
3. Peaches and nectarines—13(1): 6-16. 1958

The present list was compiled from responses to a questionnaire sent to all institutional and well-known private fruit breeders and variety testers. The Committee accepts responsibility for adapting these responses in the interest of obtaining uniformity and accuracy. In some cases variety spelling was changed to the generally accepted usage. In other cases, variety names submitted were listed under preferred synonyms. In a few cases, varieties were transferred to more appropriate species in the list. Some varieties were assigned to species arbitrarily, e.g. Kansas Sweet to *Prunus gondouini* without definite information on parentage or chromosome number. However, an attempt was made to make the last as accurate as possible with the information at hand. Synonyms, P.I. numbers, plant patents (if still in effect) and other restrictions, and virus-indexing information are included when known. The indicated restrictions should be respected in all requests for propagating wood.

All stations which obtained a particular variety under a specific plant introduction number are listed after that P.I. number. Other stations listed for the variety may have the same collection but, in some instances at least, the variety was obtained from a nursery or from an institutional or private collection, and the exact origin cannot be traced. All other number or letter designations or names following a variety or species refer to collections of the variety maintained as distinct entities because of apparent freedom from viruses, reputed high production, or other desirable characteristic.

Sources which have indexed apparently free of virus are denoted by an asterisk (*).

The Fruit Gardens Committee is indebted to Reid M. Brooks of the University of California at Davis, to Roger Way of the New York State Agricultural Experiment Station at Geneva, and to Harold Winters of Crops Research Division, United States Department of Agriculture, Beltsville, Maryland. Their help in classifying borderline varieties, noting synonyms and restrictions, and standardizing the list was invaluable. The able assistance of Eric Barnard of the Irrigation Experiment Station, Prosser, Washington, in assembling the lists submitted is acknowledged.

The following references were used principally in assigning varieties to species:

1. Register of New Fruit and Nut

¹Chairman, Fruit Gardens Committee of Amer. Pom. Soc.; Crops Research Division, USDA; and Wash. Agr. Exp. Sta., Prosser, Washington.

²Former Chairman, presently at American University of Beirut, Beirut, Lebanon.

³South Dakota State College, Brookings, South Dakota.

⁴University of Maine, Orono, Maine.

⁵North Florida Exp. Sta., Quincy, Florida.

- Varieties—Brooks and Olmo. Lists 1 to 15 inclusive. *Proc. Amer. Soc. Hort. Sci.* vols. 45, 47, 50, 53, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, and 76. Humphrey Press, Geneva, 1944–1960.
2. Cherries of New York—Hedrick. 371 pp. Lyon Co., Albany. 1915.
3. Bibliography of Cultivated Trees and Shrubs—Rehder. 825 pp. Arnold Arboretum. Jamaica Plain, Mass. 1949.
4. *Hortus Second*—Bailey. 778 pp. Macmillan Co., New York. 1949.
- Additional help in classification was obtained from plant introduction lists prepared by Lloyd E. Joley of the U. S. Plant Introduction Station, Chico, Calif. Bernice Schubert of New Crops Research Branch, Agricultural Research Service, U. S. Department of Agriculture, Beltsville, Md., assisted in nomenclature of the species.

Stations That Submitted Cherry Variety Lists

Ark.:	Arkansas Agr. Exp. Sta., Fayetteville.
B.C.:	Research Station, Canada Dept. Agr., Summerland.
Calif.:	California Agr. Exp. Sta., Davis.
Calif. (R):	Citrus Exp. Sta., Riverside.
Colo.:	Western Slope Branch Sta., Austin.
Conn.:	Connecticut Agr. Exp. Sta., Storrs.
Del.:	Delaware Agr. Exp. Sta., Newark.
Fla.:	Florida Agr. Exp. Sta., Gainesville.
Ida.:	Idaho Agr. Exp. Sta., Moscow.
Iowa:	Iowa Agr. Exp. Sta., Ames.
Kan.:	Kansas Agr. Exp. Sta., Manhattan.
Ky.:	Kentucky Agr. Exp. Sta., Lexington.
Man.:	Research Branch Exp. Farm, Canada Dept. Agr., Morden, Manitoba.
Mass.:	Mass. Agr. Exp. Sta., Amherst.
Me.:	Maine Agr. Exp. Sta., Orono.
Mich.:	Michigan Agr. Exp. Sta., East Lansing.
Minn.:	Minnesota Agr. Exp. Sta., St. Paul.
Mo.:	Missouri Agr. Exp. Sta., Columbia.
N.C.:	North Carolina Agr. Exp. Sta., Raleigh.
N.D.:	Northern Great Plains Field Sta., U. S. Dept. Agr., Mandan.
N.D. (F):	North Dakota Agr. Exp. Sta., Fargo.
N.H.:	New Hampshire Agr. Exp. Sta., Durham.
N.J.:	New Jersey Agr. Exp. Sta., New Brunswick.
N.S.:	Nova Scotia Research Sta., Canada Dept. Agr., Kentville.
N.Y.:	New York State Agr. Exp. Sta., Geneva.
Ohio:	Ohio Agr. Exp. Sta., Wooster.
Ont.:	Ontario Hort. Exp. Sta., Canada Dept. Agr., Vineland.
Ore.:	Oregon Agr. Exp. Sta., Corvallis.
Ore. (H):	Umatilla Branch Exp. Sta., Hermiston.
Que.:	Quebec Research Station, Canada Dept. Agr., Ste.-Anne-de-la-Pocatiere.
S.D.:	South Dakota Agr. Exp. Sta., Brookings.
Utah:	Utah Agr. Exp. Sta., Logan.
Va.:	Virginia Agr. Exp. Sta., Blacksburg.
Vt.:	Vermont Agr. Exp. Sta., Burlington.
USDA (Ch):	U. S. Plant Introduction Station, Chico, Calif.
Wash. (IR-2):	Interregional Repository, Irrigation Experiment Sta., Prosser.
Wash. (M):	Wash. Plant Introd. and Quar. Sta., Moxee, C/o Irrigation Exp. Sta., Prosser.
Wash. (P):	Irrigation Exp. Sta., Prosser.
Wyo.:	Cheyenne Hort. Field Sta., U. S. Dept. Agr., Cheyenne.

Cherry Varieties and Species and Potential Sources of Propagating Wood

PRUNUS AVIUM L.

- Abbesse de Mouland—P.I. 131563: Ore., USDA(Ch)
- Abundance: Calif., N.Y.
- Ahlers Spate Kirsche: B.C.
- Allen: Calif., Ore.
- Allman Svait: B.C.
- Alte Parmak—P.I. 162451: Ore., USDA(Ch), Wash.(P)
- Altendlander Blanke—P.I. 131015: Ore., USDA(Ch), Wash.(P)
- Altendlander Spatkirsche—P.I. 131016: USDA(Ch), Wash.(P)
- Amber: Ont.
- Ampfurter Schwarze Knorpelkirsche—P.I. 127399: Ore., USDA(Ch)
- August Supreme: Conn., Mass., N.J., N.Y.*, Ore.
- Badacsoner Riesenkirsche: B.C., Ore., Wash.(M), Wash.(P); P. I. 131156: Calif., USDA(Ch)
- Badeborner Dunkelbraun Knorpelkirsche—P.I. 127400: B.C., Calif., Ore., USDA(Ch), Wash.(P)
- Badeborner Schwartze Knorpelkirsche: B.C., Calif.
- Bassford: Calif., Wash.(M)
- Bedford Prolific: Calif., Ore., Wash.(M); P.I. 126890: USDA(Ch), Wash.(P)
- Belle d'Annonay—P.I. 132543: Calif., Ore., USDA(Ch), Wash.(P)
- Belle d'Orleans: Calif., Ore., Wash.(M); P.I. 111841: USDA(Ch), Wash.(P)
- Bella di Barbanti—P.I. 75188: Ore., USDA(Ch)
- Bella di Toscana—P.I. 75189: Calif., Ore., USDA(Ch), Wash.(P)
- Beste Werdersche—P.I. 132014: Ore., USDA(Ch)
- Bianco Grosse—P.I. 75190: Calif., Ore., USDA(Ch), Wash.(P)
- Bigarreau Antoine Nomblot: B.C.
- Bigarreau Blanc d'Espagne: Calif., Ore., Wash.(M)
- Bigarreau Courte (Courte Queue)—P.I. 132474: Calif., Ore., USDA(Ch), Wash.(P)
- Bigarreau Coeur de Pigeon—P.I. 131833: Calif., Ore., USDA(Ch)
- Bigarreau de Montauban—P.I. 132475: Ore., USDA(Ch), Wash.(P)
- Bigarreau de Schrecken (Schreckens Kirsche): B.C., Calif., N.J., N.Y., Ont., Ore., Va., Vt., Wash.(M)
- Bigarreau de St Charmez: N.Y., Ore., Wash.(M); P.I. 125697: Calif., USDA(Ch). Probably synonym of Bigarreau Moreau.
- Bigarreau Gaucher—P.I. 199431: Ore., USDA(Ch), Wash.(P)
- Bigarreau Graffion—P.I. 134674: Ore., USDA(Ch), Wash.(P)
- Bigarreau Gros Blanc: Ore., Wash.(M); P.I. 132476: USDA(Ch), Wash.(P)
- Bigarreau Moreau: N.Y., Ore., Wash.(M); P.I. 104295: Calif., USDA(Ch), Wash.(P); P.I. 125567: USDA(Ch), Wash.(P)
- Bigarreau Noir d'Ecully—P.I. 126504: Ore., USDA(Ch), Wash.(P)
- Bigarreau Pelissier: Calif., Ore., Wash.(M); P.I. 131482: USDA(Ch), Wash.(P)
- Bigarreau Precoc de Burlat—P.I. 162449: Ore., USDA(Ch), Wash.(P)
- Bigarreau Rose—P.I. 131562: Ore., USDA(Ch), Wash.(P)
- Bigarreau Tardif de Putte—P.I. 131985: Ore., USDA(Ch), Wash.(P)
- Bing: B.C.*, Calif.(R), Conn., Ida., Mass., Mich., N.C., N.J., N.S., N.Y.*, Ont.*, Wyo.; B-12: Wash.(IR-2)*; B-13: Wash.(IR-2)*; B-62: B.C.; B-86: B.C., Calif.; B-259: Calif.; B-260: Calif., Mo., Ore.*, Utah, Wash.(IR-2)*, Wash.(M), Wash.(P)*; B-525: Calif.; C27301: USDA(Ch); P.I. 162466: USDA(Ch).
- Black Diamond—P.I. 129841: USDA(Ch); P.I. 133572: Ore., USDA(Ch), Wash.(P)
- Black Eagle (Eagle(s)): N.Y., Ore.; P.I. 111842: USDA(Ch), Wash.(P); P.I. 131446: USDA(Ch), Wash.(P).
- Black Giant: Trademarked. Calif., Ky., N.Y., Ore., Wash.(M), Wash.(P)
- Black Heart—P.I. 141251: N.Y., Ore., USDA(Ch), Wash.(P)
- Black Knight: N.S., Ore.
- Black Oregon: Calif., Ore., Wash.(M)
- Black Russian: B.C., Calif., N.J., N.S., N.Y., Wash.(M)
- Black Tartarian (Tartarian): Conn., Ky., Mass., Mich., Mo., N.S., N.Y.*, Ore.*, Utah, Vt., Wash.(M), Wash.(P), Wyo.; P.I. 162470: USDA(Ch); Chandler: Calif.; Hobbs: Wash.(IR-2); Michigan: Calif.; Milton: Mass.; Neosho: Wash.(IR-2); T-24: Calif., N.Y.; T-349: Calif.; Zeller ST 65: Calif., Ore.
- Bolster: Wash.(M), Wash.(P)
- Bolium—P.I. 199440: Calif., Ore., USDA(Ch), Wash.(P)
- Bopparder Kracker—P.I. 132661: Calif., Ore., USDA(Ch)
- Bradbourne Black—P.I. 132532: Calif., Ore., USDA(Ch), Wash.(M), Wash.(P)
- Braunauer—P.I. 127401: B.C., Ore., USDA(Ch), Wash.(P); P.I. 132763: Calif., USDA(Ch), Wash.(P)

P. AVIUM L. (continued)

- Britson: Calif.
 Burbank: B.C., Calif., N.Y., Ore.
 Burr's Seedling: Calif.
 Bush Tartarian: Calif.
 Buttner Rote Knorpelkirsche—P.I. 110467: B.C., Calif., Ore., USDA(Ch), Wash. (P)
 Buttner Spate Rote Knorpelkirsche—P.I. 132290: Ore., USDA(Ch), Wash.(P)
 Cardofer Fruhe—P.I. 126999: Ore., USDA(Ch), Wash.(P)
 Carnival: N.S.
 Centennial: Calif., N.S., Ore., Wash.(M), Wash.(P)
 Cerisier Precoce de la Marche—P.I. 104297: Ore., USDA(Ch), Wash.(P)
 Chapman: Calif., N.Y., Ore., Wash.(P); P.I. 111931: USDA(Ch)
 Chinook (Wash. P. 1-246): B.C., Calif., Ida., N.Y., Ore., Wash.(P)*
 Chrzegtha Kozerska: Wash.(M); P.I. 132831: Calif., Ore., USDA(Ch), Wash.(P)
 Cleveland: Calif.
 Coburger Mainerzkirsche—P.I. 110474: Ore., USDA(Ch), Wash.(P)
 Coe: N.Y.
 Coops Special: Calif., Wash.(M), Wash.(P)
 Cropp Early: Ont.
 Czarna Najlepsza—P.I. 132832: Ore., USDA(Ch), Wash.(P)
 Dankelmann—P.I. 125771: Ore., USDA(Ch), Wash.(P)
 Dark Florence—P.I. 133573: Ore., USDA(Ch), Wash.(P)
 Deacon: Conn., B.C., N.J., N.S., N.Y., Wash.(M), Wash.(P); C-27483: USDA(Ch); D-11: Calif., Ore.*; D-244: Calif.
 Dell' Isola—P.I. 131730: Ore., USDA(Ch), Wash.(P)
 de Mezel: Calif.; P.I. 125723: USDA(Ch); de Mezel A: N.Y.; de Mezel B (P.I. 162-747): Ore., USDA(Ch), Wash.(P)
 Dicke Braune Blankenburger—P.I. 132556: Ore., USDA(Ch), Wash.(P)
 Di Modena Precoce—P.I. 126812: Ore., USDA(Ch), Wash.(P)
 Donnissens Gelbe Knorpelkirsche—P.I. 125-707: B.C., Calif.; P.I. 110468: Ore., USDA(Ch), Wash.(P)
 Downer: Calif.
 Dr. Flynn: Calif.
 Dubbele Eierkriek—P.I. 199459: Calif., Ore., USDA(Ch), Wash.(P)
 Durona dell' Anella—P.I. 126814: Calif., Ore., USDA(Ch), Wash.(P)
 Durona di Cesena—P.I. 126815: Ore., USDA(Ch), Wash.(P)
 Early Amber—P. I. 131448: Ore., USDA(Ch), Wash.(P)
 Early Chapman—P.I. 162465: USDA(Ch)
- Early Purple (Early Purple Guigne): Calif., N.Y., Ore., Va.
 Early Rivers: B.C., Calif., Conn., Mass., Mich., N.H., N.Y.*, Ont., Ore., Va.; P.I. 126568: USDA(Ch), Wash.(P); P.I. 132537: USDA(Ch), Wash.(P)
 Ebony—C-27191: Calif., Ida., N.J., N.Y., Ont., Ore., Wash.(M), Wash.(P), USDA(Ch)
 Elkhorn (Gros Schwarze Knorpelkirsche, St. Margarets, Gross Bigarreau Noir): Calif., Ont.; P.I. 125276: Ore., USDA(Ch), Wash.(P)
 Elton: Calif., N.Y.
 Emperor Francis: B.C., Calif., Conn., Mass., Mich., N.S., N.Y.*, Ohio, Ore., Ore.(H), Vt.; P.I. 126569: USDA(Ch), Wash.(P)
 Erianne: B.C.
 Farnstadter Schwarze Knorpelkirsche—P.I. 131157: B.C., Calif., Ore., USDA(Ch), Wash.(P)
 Flamentiner—P.I. 132015: Calif., Ore., USDA(Ch), Wash.(P)
 Florence: N.Y., Ore.
 Frogmore Bigarreau (Frogmore Early Bigarreau)—P.I. 131450: Ore., USDA(Ch), Wash.(P)
 Fromm's Herzkirsche—P.I. 127404: B.C., USDA(Ch)
 Fruhe Franzosische—P.I. 127405: Ore., USDA(Ch), Wash.(P)
 Fruhe Mai—P.I. 134825: Calif., Ore., USDA(Ch), Wash.(P)
 Fruhe Schwarze Altenlander—P.I. 125772: Calif., Ore., USDA(Ch), Wash.(P); P.I. 131017: USDA(Ch), Wash.(P)
 Fruhe Werdersche—P.I. 127406: Ore., USDA(Ch), Wash.(P)
 Fruheste der Mark—P.I. 125700: N.Y.*, Ore., USDA(Ch), Wash.(P)
 Gehrdenner: B.C.
 Geisspeter—P.I. 125698: Ore., USDA(Ch), Wash.(P)
 Giant: Calif., Conn., Mass., Mich., N.H., N.J., N.S., N.Y., Ohio, Ont., Ore., Vt., Wash.(P), Wyo.
 Gil Peck: B.C., Calif., N.S., N.Y.*, Mass., Ont., Ore., Va., Vt., Wash.(M), Wash.(P)
 Golden Wax: Calif., Ky.
 Gottorper Riesenkirsche—P.I. 131158: Ore., USDA(Ch), Wash.(P)
 Greening: N.Y., Ore., Wash.(M), Wash.(P)
 Greenwood: Calif., Ore., Va.
 Grevenbroicher Knorpelkirsche—P.I. 125-699: Ore., USDA(Ch)
 Grosse Germersdorfer: B.C.
 Grosse Prinzessen: N.Y.
 Grosse Prinzenkirsche—P.I. 127407: Ore., USDA(Ch), Wash.(P)
 Grosse Schwarze Knorpelkirsche—P.I. 110-469: Ore., USDA(Ch), Wash.(P)

P. AVIUM L. (continued)

- Grosse Transparente—P.I. 127373: Ore., USDA(Ch), Wash.(P)
- Guigne d'Annonay: B.C., N.Y.; P.I. 127375: Ore., USDA(Ch), Wash.(P). Probably synonym of Belle d'Annonay
- Guigne Garcine—P.I. 131120: Calif., Ore., USDA(Ch), Wash.(P)
- Guigne Moire des Vosges—P.I. 131857: Ore., USDA(Ch), Wash.(P)
- Guigne Precoce de Tarascon—P.I. 127377: Ore., USDA(Ch), Wash.(P)
- Guigne Pourpre Hative—P.I. 127376: Ore., USDA(Ch), Wash.(P)
- Guigne Sucree de Leon LeClerc—P.I. 132480: Ore., USDA(Ch), Wash.(P)
- Harlemer Doppelte—P.I. 125705: USDA(Ch)
- Hatif Burlat (Bigarreau Hatif de Burlat)—P.I. 125106: Ore., USDA(Ch), Wash.(P); P.I. 127378: Calif., N.Y.*, USDA(Ch)
- Hative de Bale: Wash.(M); P.I. 130976: Calif., Ore., USDA(Ch), Wash.(P)
- Hedelfingen (Hedelfingen Riesenkirche): B.C., Calif., Ky., Mass., N.H., N.J., N.S., N.Y.*, Ont.*, Ore., Va., Wash.(IR-2), Wash.(M), Wash.(P); P.I. 125701: USDA(Ch)
- Hedelfingen Riesen—P.I. 110470: Ore., USDA(Ch), Wash.(P)
- Hellrindige Harzer Vogelkirche—P.I. 125774 A: N.J.; P.I. 185796: USDA(Ch)
- Hoke: Calif.
- Hollander—P.I. 199462: Calif., Ore., USDA(Ch), Wash.(P)
- Hollandische Maikirche—P.I. 131159: Ore.
- Holmabar: B.C.
- Honey Heart: Calif.
- Hoskins: Calif., Ore.*
- Ialbaste—P.I. 162452: Ore., USDA(Ch), Wash.(P)
- Ida: N.Y.
- Inspecteur Lohnis: Wash.(M); P.I. 194807: Calif., N.Y.*, Ore., USDA(Ch), Wash.(P); P.I. 199463: USDA(Ch), Wash.(P)
- June: Ont., Ore.
- Kassin(s) Fruhe—P.I. 125702: B.C., N.J., N.Y., Ore., USDA(Ch), Wash.(P)
- Kassins Early Black: B.C.
- Kanarkowa—P.I. 132833: Calif., Ore., USDA(Ch), Wash.(P)
- Kentish Bigarreau—P.I. 131451: Calif., Ore., USDA(Ch)
- Kirtland: N.Y.
- Knaufskirche—P.I. 128332: B.C., Ore., USDA(Ch), Wash.(P)
- Knight's Early Black: Calif., P.I. 131453: B.C., Ore., USDA(Ch), Wash.(P)
- Konigskirche—P.I. 132557: Calif., N.Y., Ore., USDA(Ch)
- Konigin Hortense: Wash.(M)
- Kronprinz von Hannover—P.I. 131160: Ore., USDA(Ch), Wash.(P)
- Kunzes Kirsche—P.I. 127409: N.Y., Ore., USDA(Ch), Wash.(P)
- La Cima: Calif.
- Lamaurie: Calif.
- Lambert: B.C.*, Calif., Ida., Mass., Mo., N.C., N.S., N.Y.*, Ont.*, Ore.*, Utah, Wash.(M), Wash.(P); Milton: B.C.*; Stark: B.C.*; Stark 205: N.Y.; Stark 677: Wash.(IR-2)*; Stark 685: Wash.(IR-2)*; Usher: B.C.*; 530: B.C.
- Lamberts Beste: Wash.(M); P.I. 131161: Ore., USDA(Ch), Wash.(P)
- Lamida: Calif., Ida., N.J., N.Y., Ont., Ore., Wash.(M), Wash.(P); C27192: USDA(Ch)
- Lamotte—P.I. 199467: Calif., Ore., USDA(Ch), Wash.(P)
- La Plus Precoce de la Marche—P.I. 110011: Ore., USDA(Ch). Probably synonym of Ceresier Precoce de la Marche.
- Lewelling: Calif.
- Liefeld Braune—P.I. 132016: Calif., Ore., USDA(Ch), Wash.(P); P.I. 132558: USDA(Ch), Wash.(P)
- Long Stem Napoleon: Calif., Ore.
- Long Stem Waterhouse: Calif., Ore.
- Lucienkirche—P.I. 130984: Ore., USDA(Ch), Wash.(P)
- Luizet (Bigarreau Luizet)—P.I. 127379: B.C., Calif., Ore., USDA(Ch), Wash.(P)
- Lyons (Bigarreau Jaboulay, Early Lyons): B.C., Calif., Mich., N.Y.*, Ont., Ore., Va., Wash.(M), Wash.(P); P.I. 110471: Ore., USDA(Ch), Wash.(P)
- Mac Mar: B.C.
- Mai Bigarreau—P.I. 132764: Ore., USDA(Ch), Wash.(P)
- Manor: N.J.
- Marla Gauchet—P.I. 131858: USDA(Ch)
- Marienhöhe—P.I. 130985: Ore., USDA(Ch), Wash.(P)
- Marmotte—P.I. 127380: Ore., USDA(Ch)
- Mary Hall—P.I. 162559: Calif., Ore., USDA(Ch), Wash.(P)
- (mazzard)—F 12/1: B.C., Calif., N.Y.*, Ore., Wash.(IR-2); Glenn Dale #5, #6 and #7: N.Y.; McGill #1, #2, #3 and #4: Wash.(M); N.Y. #53, #54, #55, #56 and #63: N.Y.*, Wash.(M)
- Melonkirche: B.C.
- Merton Bigarreau: B.C., N.Y.*, Ont., Ore., Wash.(M), Wash.(P); P.I. 162616: Calif., USDA(Ch)
- Merton Bounty: B.C., N.Y.*, Ont., Ore., Wash.(M), Wash.(P); P.I. 162615: Calif., USDA(Ch)
- Merton Favourite: Calif., N.Y.*, Ont., Ore., Wash.(M), Wash.(P); P.I. 162617: Calif., USDA(Ch)
- Merton Heart: N.Y., Ont., Ore., Wash.(M), Wash.(P); P.I. 162618: Calif., USDA(Ch)
- Merton Premier: N.Y., Ont., Ore.

P. AVIUM L. (continued)

- Mierlose Zwarte—P.I. 199469: B.C., N.Y.*, Ore., USDA(Ch), Wash.(P)
 Minners Spitze—P.I. 131018: Ore., USDA(Ch), Wash.(P)
 Miodowke—P.I. 132834: Ore., USDA(Ch), Wash.(P)
 Mohrenkirsche—P.I. 110475: Ore., USDA(Ch), Wash.(P)
 Moretha di Arezzo—P.I. 206357: Calif., USDA(Ch)
 Moss Early—P.I. 182805: USDA(Ch), Wash.(P)
 Mott: Calif.
 Muskateller—P.I. 134827: Ore., USDA(Ch), Wash.(P)
 Napa Long Stem Bing: Calif., Ore.
 Napoleon (Bigarreau Napoleon, Royal Ann, Imbrian): B.C.*, Calif., Conn., Ky., Mass., Mich., N.S., N.Y.*, Ont., Ore.*, Utah, Va., Vt., Wash.(M), Wash.(P), Wyo.; A-10: B.C.*, Calif., Wash.(M); Cation A-921: Calif., Wash.(IR-2); P.I. 80261 (Imbrian): USDA(Ch); P.I. 132538: USDA(Ch); Starks: B.C.*
 Nera di Piemonte—P.I. 136809: Ore., USDA(Ch), Wash.(P)
 Noble (Tradescant Heart, St. Margarets): B.C., Calif., N.H., N.S., N.Y.*, Ohio, Ont., Ore., Vt., Wash.(M), Wash.(P); P.I. 111-846: USDA(Ch); P.I. 125275: USDA(Ch)
 Noire de Chavannes—P.I. 134677: N.Y., Ore., USDA(Ch), Wash.(P)
 Noire de Guben: Calif., N.H., N.J., N.S., N.Y., Ont., Ore., Va., Vt., Wash.(M)
 Noire de Lowertz—P.I. 134679: Ore., USDA(Ch), Wash.(P)
 Noire de Montreux—P.I. 134676: Ore., USDA(Ch), Wash.(P)
 Nutter Crackless: Calif.
 Ochsenherzkirsche—P.I. 132559: Ore., USDA(Ch), Wash.(P)
 Olbryzmka Natolinska—P.I. 131041: Ore., USDA(Ch), Wash.(P)
 Oliver Early Bing: Calif.
 Oliver Long Stem Bing: N.Y., Ore., Wash.(M), Wash.(P)
 Olivo—P.I. 75198: Ore., USDA(Ch), Wash.(P)
 Orb. Calif.
 Oregon Black: Ore., Wash.(M), Wash.(P)
 Ox Heart: Ore., Wash.(M)
 Parkhill: Calif., Wash.(P)
 Peerless: Calif., Wash.(M)
 Peggy Rivers—P.I. 130910: Ore., USDA(Ch), Wash.(P)
 Pelham—P.I. 142473: Ore., USDA(Ch), Wash.(P)
 Perle von Finkenburg: Ore., Wash.(M); P.I. 132669: Calif., USDA(Ch), Wash.(P)
 Pocock: Calif.
 Polly Ann: N.S.
 Porter: Calif.
 Precoce d'Isigny: B.C.
 Precoce de Clies—P.I. 134680: Calif., Ore., USDA(Ch), Wash.(P)
 Precoce de Beaulieu—P.I. 131203: Calif., Ore., USDA(Ch), Wash.(P)
 Prinzesskirsche: B.C.
 Rainbow Stripe: Trademarked. B.C., Calif., Conn., N.H., N.Y., Ore., Wash.(M), Wash.(P)
 Rainier (Wash.P. 1-680); B.C., Calif., Ida., N.Y., Ore., Wash.(P)*
 Ramon Oliva: Calif.; P.I. 111848: Ore., USDA(Ch), Wash.(P)
 Ransom: B.C.
 Reese Farm—P.I. 204852: Calif., Ore., USDA(Ch)
 Republican (Black Republican): Calif., N.Y.*, Ore.*, Wash.(M), Wash.(P); C-26657: USDA(Ch); R-10: Calif.; R-492: Calif., Wash.(M)
 Reverchon: Wash.(M); P.I. 131859: Calif., Ore., USDA(Ch), Wash.(P)
 Rival: B.C.
 Rons: B.C.
 Rozowa Wczesna—P.I. 131042: Ore., USDA(Ch), Wash.(P)
 Sam: B.C., Calif., Ida., Mo., N.J., N.S., N.Y.*, Ont., Ore.*, Utah, Wash.(IR-2)*, Wash.(M), Wash.(P)*
 Samling von Werth: Wash.(M); P.I. 132670: Calif., Ore., USDA(Ch), Wash.(P)
 Sanguinetti: B.C., Calif., N.Y.*
 Saylor (Gold, Stark Gold): B.C., Calif., Conn., Mo., N.J., N.S., N.Y., Ont., Ore., Va., Wash.(M); P.I. 148034: USDA(Ch), Wash.(P)
 Schmidt (Schmidts Bigarreau): Calif., Conn., Ky., Mass., Mich., N.S., N.Y.*, Ohio, Ont.*, Va., Wash.(M), Wash.(P), Wyo.; C-27484: USDA(Ch); Cation 185: Calif., Wash.(IR-2); NY 24/55: N.Y.*, Wash.(IR-2)
 Schmahlfelds Grosse Schwarze—P.I. 128333: Ore., USDA(Ch), Wash.(P)
 Schneider Spate Knorpelkirsche: B.C., Wash.(M); P.I. 127411: Calif., N.Y.*, Ore., USDA(Ch), Wash.(P)
 Schumacher—P.I. 134829: Calif., Ore., USDA(Ch), Wash.(P)
 Schwarze Hangische—P.I. 132671: Ore., USDA(Ch), Wash.(P)
 Schwarze Herz—P.I. 130986: Calif., Ore., USDA(Ch), Wash.(P)
 Schwarzwilde—P.I. 130987: Ore., USDA(Ch), Wash.(P)
 Sciutti Tartarian: Calif., N.Y.
 Seneca: Calif., Conn., Ky., Mass., Mo., N.J., N.S., N.Y.*, Ont., Ore., Va., Wash.(M), Wash.(P)
 Sharpe: Calif.
 Shelton: Calif.

P. AVIUM L. (continued)

Sigrid: B.C.
 Sodus: Calif., N.S., N.Y.*, Mass., Ont., Ore.
 Spalding: B.C., Calif., Ida., N.J., N.Y., Ore., Wash.(M), Wash.(P)
 Spanka Krasnokurska—P.I. 205847: Ore., USDA(Ch), Wash.(P)
 Spanische Knorpelkirsche—P.I. 128334: Ore., USDA(Ch), Wash.(P)
 Spanish White: Calif.
 Sparkle: Calif., N.S., N.Y., Ore., Wash.(M), Wash.(P); C-27488: USDA(Ch)
 Spate Braune: Wash.(M); P.I. 132151: Calif., Ore., USDA(Ch), Wash.(P)
 Star: B.C., Calif., Ida., N.J., N.S., N.Y., Ont., Ore., Wash.(M), Wash.(P); C-27489: USDA(Ch)
 Starking Hardy Giant: Pat. 764. Calif., Ida., Mo., N.C., N.J., N.S., N.Y.*, Ore., Va., Wash.(IR-2), Wash.(M), Wash.(P)
 Stark Royal Purple: Pat. 627. Calif.
 Stechmanns Bunte: B.C.
 St. Veiter Pelzkirsche: B.C.
 Sue: B.C., Calif., N.J., N.S., N.Y.*, Ont., Ore., Wash.(M), Wash.(P)
 Sweet September: Calif., Conn., Mass., N.H., N.J., N.Y.*, Ore., Va., Wash.(IR-2), Wash.(M); P.I. 145773: USDA(Ch), Wash.(P); P.I. 145774: USDA(Ch)
 Teickner's Schwarze Knorpelkirsche—P.I. 127412: B.C., Ore., USDA(Ch), Wash.(P)
 Tiroler Schwarze: B.C.
 Torleivsbar: B.C.
 Transcendens Black Heart: Calif.
 Turkime—P.I. 132562: USDA(Ch)
 Turkey Black Heart—P.I. 130911: USDA(Ch)
 Uhlhorn's Wunderkirsche—P.I. 125703: Ore., USDA(Ch), Wash.(P)
 Unark: Calif.
 Ursula Rivers—P.I. 130912: Calif., Ore., USDA(Ch), Wash.(P)
 Van: B.C.*, Calif., Ida., Mo., N.C., N.S., N.Y.*, Ohio, Ont.*, Ore.*, Utah, Wash.(IR-2)*, Wash.(M), Wash.(P)*; C-27250: Calif., USDA(Ch)
 Velvet: N.Y.*, Ont., Ore.
 Venus: B.C., Calif., N.Y.*, Ont.*, Ore., Wash.(M), Wash.(P)
 Vernon: Calif., Ida., Mass., Mich., N.H., N.S., N.Y., Ohio, Ont., Ore., Va., Wash.(M), Wash.(P); P.I. 142475: USDA(Ch), Wash.(P)
 Vic: B.C., Calif., Conn., N.Y.*, Ohio, Ont.*, Ore., Wash.(M), Wash.(P)
 Victor: B.C., Calif., Conn., Mass., Mich., N.Y., Ohio, Ont., Ore., Vt.,
 Vista: B.C., Calif., N.Y., Ont., Ore.
 von Bramens: B.C.
 Walkers Early Bing: Calif.
 Walpurgis: B.C.
 Waterhouse: Ore.*

Waterloo: B.C., N.Y.*, Ore.; P.I. 131456: USDA(Ch)
 Werder Early Black: Calif.
 Werdersche Braune: B.C.
 Werdersche Marktkirsche: Wash.(M); P.I. 125226: Calif., N.Y., Ore., USDA(Ch), Wash.(P)
 Werdersche Fruhe Herzkirsche—P.I. 125773: Ore., USDA(Ch), Wash.(P)
 Werners Fruhe—P.I. 132673: Ore., USDA(Ch), Wash.(P)
 Wesselhofts: B.C.
 White Heart—P.I. 131219: Ore.
 (Wild cherry from Caucasus Mts., USSR)—P.I. 103723: Ore., USDA(Ch)
 Williams Favourite—P.I. 129843: USDA(Ch); P.I. 202619: Calif., Ore., USDA(Ch), Wash.(P)
 Wils Fruhe Herzkirsche—P. I. 128335: Ore., USDA(Ch), Wash.(P)
 Windsor: B.C., Calif., Conn., Ky., Mass., Mich., Ohio, Ont.*, Ore., N.S., N.Y.*, Va., Wash.(IR-2), Wash.(M), Wash.(P); C-27469: USDA(Ch)
 Winklers Weisse Herzkirsche—P.I. 132563: USDA(Ch)
 Woehrmann Red Giant: Calif.
 Wood (Governor Wood): Calif., Ky., N.Y., Ore., Va., Wash.(M)
 Yellow Glass: B.C., Calif., Iowa*, N.H., N.Y.*, Ore., Wyo.
 Yellow Spanish: Calif., Ky., N.H., N.Y., Ont., Ore.
 Zeisberger Risenkirsche—P.I. 131163: Calif., USDA(Ch)
 Zuckerbunte: B.C.
 Zum Felde Fruhe Schwarze: B.C.
 Zweitfruhe—P.I. 134830: Ore., USDA(Ch), Wash.(P)

P. CERASUS L.

Amarasca de Mondorf—P.I. 136799: Ore., USDA(Ch), Wash.(P)
 Baldwin: Ont.
 Bessarbian: Man., Wyo.
 Black Sour: N.Y.
 Black Sweet: Calif.
 Carnation: N.Y.
 Cerise du Nord—P.I. 126505: Ore., USDA(Ch)
 Cerise Hative de Louvain—P.I. 132478: USDA(Ch)
 Cerise Magnifique de Sceaux—P.I. 126506: Ore., USDA(Ch), Wash.(P)
 Chase: N.Y., Ore.
 Coronation: Calif., Man., N.Y.*, Ore., Wyo. (sometimes listed as *P. fruticosa*)
 Courte Queue de Malines—P.I. 131986: Ore., USDA(Ch), Wash.(P)
 Del Nord: N.Y., P.I. 76001: Calif., Ore., USDA(Ch), Wash.(P)

P. CERASUS L. (continued)

Diemitzer Amarelle—P.I. 127402: Ore., USDA(Ch), Wash.(P)

Dyehouse: Calif., N.D., N.Y., Ore.

Early Richmond: Ark., Calif., Iowa*, Kan., Man., Mass., Mich., N.D., N.J., N.Y., Ont., Ore.*, Que., Va., Vt., Wash.(M), Wash.(P), Wyo.; P.I. 162469: USDA(Ch); RT 2 Stark: Wash.(IR-2); 729 Stark: Wash.(IR-2); GSN-101 (Guernsey): Wash.(IR-2)

English Morello: B.C., Calif., Conn., Iowa*, Man., Mass., Mo., N.J., N.S., N.Y.*, Ore.*, Va., Vt., Wash.(M), Wash.(P), Wyo.; P.I. 162468: USDA(Ch); Gt 71 Mt. Arbor: Wash.(IR-2); Gt 72 Mt. Arbor: Wash.(IR-2); Gt 73 Mt. Arbor: Wash.(IR-2); Moore 6-921: Calif.

Excellenz von Hindenburg—P.I. 127403: Ore., USDA(Ch), Wash.(P)

False Tartarian: Mass.

Flemish Red—P.I. 131449: Ore., USDA(Ch), Wash.(P)

Fouche Morello: Que.

Fruhe Ludwigskirche—P.I. 125704: Ore., USDA(Ch), Wash.(P)

George Glass: N.Y.

Gilbert Montmorency: Iowa*, N.Y., Ore., Wash.(M)

Griotte du Pays—P.I. 134675: Ore., USDA(Ch), Wash.(P)

Homer: Calif., N.D.

Imperiale—P.I. 76002: Ore., USDA(Ch), Wash.(P)

Jubilejnaja—P.I. 205810: Calif., Ore.

Kleine Ammerella—P.I. 128331: Ore., USDA(Ch), Wash.(P)

Kleine Waalse: Wash.(M); P.I. 194808: Ore., USDA(Ch), Wash.(P); P.I. 199464: Calif., Ore., USDA(Ch), Wash.(P)

Konzlov: Man.

Konigliche Amarella—P.I. 110477: Ore., USDA(Ch), Wash.(P)

Kroeker Hardy: N.Y.*

Late Kentish (Kentish Red)—P.I. 131452: Ore., USDA(Ch), Wash.(P)

Late Montmorency: N.Y., Ont.

Leitzkauer Pressauerkirche—P.I. 127410: Ore., USDA(Ch)

Lutovka: Man.

Majkors fran Alnarp—P.I. 205819: Calif., Ore., USDA(Ch), Wash.(P)

Marasca di Ostheim: N.Y., Man., Ore., Que., P.I. 71023: USDA(Ch)

Marasca Moscata—P.I. 76005: Ore., USDA(Ch)

McClain: Calif., Colo., N.Y., Ore., Ore.(H), Wash.(M), Wash.(P), Wyo.

Meteor: Ark., B.C., Calif., Colo., Iowa*, Kan., Man., Mass., Minn., N.D., N.D.(F), N.H., N.Y.*, Ont., Ore., S.D., Wash.(IR-2), Wash.(M), Wash.(P)

Meyer—P.I. 18587: Ore., USDA(Ch)

Milwaukee: N.Y.

Monteary: Calif., Conn., N.J., N.Y., Ore., Utah, Wash.(IR-2), Wash.(M), Wash.(P)

Montlate: Conn., N.Y.

Montmammoth: N.Y.*, Ore.(H)

Montmore: N.Y.*

Montmorency: Ark., B.C., Calif.(R), Colo., Conn., Del., Ga., Ind., Kan., Ky., Maine, Man., Mass., Mich., Mo., N.C., N.D.(F), N.H., N.J., N.S., N.Y.*, Ont., Ore.*, Ore.(H), Que., Utah, Va., Vt., Wash.(M), Wash.(P), Wyo.; C27300: USDA(Ch); Cation 25192: Calif.; Cation 55059: Calif.; Cation 55062: Calif.; Cation 55121: Calif.; Dayton: Ont.; H 1-3 Musselman: Wash.(IR-2); H 1-6 Musselman: Wash.(IR-2); Hobbs: B.C.; King: Ont.; M-94 Hobbs: Wash.(IR-2); M-252: B.C.; Mich C 30-24: B.C.*; Mich C 39-8: B.C.*; Mich H 44-1: B.C.*; Mich 049-1: B.C.*, Wash.(IR-2); Montgomery: Ont.; N.Y.M.-1: N.Y., Wash.(IR-2); Ore. M505: Wash.(IR-2); Rouse: Ont.; Rozell: Ont.; Smith: Ont.; St 55: Wash.(IR-2); St 95 Hobbs: Wash.(IR-2); St 113 Hobbs: Wash.(IR-2); St 122 Hobbs: Wash.(IR-2); Stark 62: Wash.(IR-2); Washington: B.C.

Montmorency Bretonneau—P.I. 136615: USDA(Ch)

Morello de Charmeaux—P.I. 131655: Ore., USDA(Ch), Wash.(P)

Moscow: B.C.

Northstar: Ark., B.C., Calif., Iowa*, Kan., Man., Mass., Minn., N.D., N.D.(F), N.H., N.J., N.Y., Ont., Ore.(H), S.D., Va., Vt., Wash.(IR-2), Wash.(M), Wash.(P)

Orel: B.C., Man., Ore., Wash.(M)

Planteskole og Frohandel—P.I. 199027: Ore., USDA(Ch), Wash.(P)

Richmorency: Calif., N.Y., Ore., Ore.(H), Wash.(IR-2), Wash.(M), Wash.(P), Wyo.

Rhexii—P.I. 133839: N.Y., Ore., USDA(Ch)

Schattenmorelle—P.I. 110478: N.Y.*, USDA(Ch)

Shubianka: Man.

Spanische Glaskirsche—P.I. 125706: Ore., USDA(Ch), Wash.(P)

St. Medard: N.J., N.Y.

Stockton Morello: B.C., Calif., N.Y., Ore., Wash.(M); H 10-661: Calif., Wash.(IR-2); Tribble: Calif.

Suda Hardy: Trademarked. Calif., N.C., N.Y., Wash.(M)

Triaux—P.I. 123754: USDA(Ch), Wash.(P)

Tschernokorka—P.I. 205852: USDA(Ch)

Waalse Bruine—P.I. 199477: Ore., USDA(Ch), Wash.(P)

Wragg: Man.

Wczesna z Prinn—P.I. 131043: Calif., N.J., N.Y., Ore., USDA(Ch), Wash.(M), Wash.(P)

Zoete Morel—P.I. 194825: Ore., USDA(Ch), Wash.(P)

P. CERASUS L. × P. PENSYLVANICA L.f.:
B.C., N.Y.*

[(**P. CERASUS L. × P. PENSYLVANICA L. f.**) × **P. MAACKII** Ruprecht] (commonly called **P. DROPMOREANA**): B.C., Calif., Ore., Wash.(P)

P. CERASUS L. cv. Montmorency × **P. PSEUDOCERASUS** Lindl. cv. Meyer Tangsi: Calif.

P. EMARGINATA (Hook.) Eaton: Calif., Wash.(M), Wash.(IR-2)

P. EMARGINATA var. **MOLLIS** (Hook) Brewer + Watson: Calif.

P. FONTANESIANA (Spach) Schneid.: B.C., Ore., Wash.(P); P.I. 133842: USDA(Ch)

P. FRUTICOSA Pall.

Dwarfrich: B.C., Calif., N.Y.*, Ore., Kan., Wash.(IR-2), Wash.(M), Wash.(P), Wyo. Siberian Dwarf: Man. Vladimir: B.C., Man., N.D.(F), N.Y.*, Ore., Wash.(P), Wyo.

P. FRUITICOSA var. **PENDULA** Dipp.: B.C.

P. GONDOUINI (Poit. + Turpin) Rehder (**P. EFFUSA** (Host) Schneider)

Abbesse d'Oignies: N.Y.

Archduke—P.I. 131218: Ore., USDA(Ch), Wash.(P)

Bicentenaire—P.I. 75183: Ore., USDA(Ch) Belle d Planchoury—P.I. 125725: Ore., USDA(Ch), Wash.(P)

Brassington: B.C., Calif., N.J., N.S., Ont., Va., Wash.(IR-2), Wash.(M), Wyo.

Double Natte: N.Y.

Empress Eugenie (Kaiserin Eugenie): Calif.; P.I. 110472: Ore., USDA(Ch), Wash.(M), Wash.(P)

Hoke: Calif.

Holman's Duke: Wash.(M); P.I. 131654: Calif., Ore., USDA(Ch), Wash.(P)

Inglese Precoce—P.I. 75184: Calif., Ore., USDA(Ch)

Kansas Sweet: Calif., Iowa*, Ore.(H), Wash.(IR-2), Wash.(M), Wash.(P) Wyo.

Konigin Hortense—P.I. 110473: B.C., Ore., USDA(Ch)

Krassa Severa—P.I. 105207: B.C., Calif., N.Y.*, Ore., USDA(Ch), Wash.(M), Wash.(P)

Late Duke: B.C., N.Y., Wash.(IR-2), Wash.(M), Wyo.

Louis Philippe: B.C., N.Y., N.S., Ore.

Magnifique (Belle Magnifique): N.H., Ore.; P.I. 162450: USDA(Ch), Wash.(P)

May Duke: B.C., Calif., N.Y., Ore., Wash.(IR-2), Wash.(M), Wash.(P)

Maynard: Calif.

Nero Grossa di Pimento: B.C., N.Y.*

Neue Konigliche—P.I. 131162: Ore., USDA(Ch), Wash.(P). Probably synonym of Nouvelle Royale

Nouvelle Royale—P.I. 131454: USDA(Ch)

Olivet: Calif., N.Y., Ore.

Regina Ortensia (Reine Hortense): N.Y., Ore.; P.I. 75186: USDA(Ch)

Ronald's Late Duke: Calif., Ore., Wash.(P)

Rossa Grossa di Piemonte—P.I. 75187: Calif., Ore.

Rote Maikirsche—P.I. 110476: B.C., Ore., USDA(Ch), Wash.(M)

Royal Duke: B.C., Calif., Conn., Mich., N.J., N.S., N.Y.*, Ohio, Ore., Va.

Sonderegger's Sweet: Wyo.

P. INCISA Thunb.: Ore., Wash.(M), Wash.(P)

P. JAPONICA Thunb.: Wash.(IR-2), Wash.(M); P.I. 65077: USDA(Ch); P.I. 70872: USDA(Ch); P.I. 101727: USDA(Ch)

P. MAACKII Ruprecht: B.C., Calif.

P. MAHALEB L.

Mh 901: Wash.(IR-2), Wash.(M); Mh 902: Wash.(IR-2), Wash.(M); Mh 903: Wash.(IR-2), Wash.(M); Mh 904: Wash.(IR-2), Wash.(M); Mh 905: Wash.(IR-2), Wash.(M); Mh 907: Wash.(IR-2), Wash.(M); Mh 908: Wash.(IR-2), Wash.(M); Mh 909: Wash.(IR-2), Wash.(M); Mh 911: Wash.(IR-2); Mh 912: Wash.(IR-2); Mh 913: Wash.(IR-2); Mh 915: Wash.(IR-2), Wash.(M); Mh 916: Wash.(IR-2); Mh 918: Wash.(IR-2); Mh 919: Wash.(IR-2); Mh 920: Wash.(IR-2), Wash.(M); New York K-10: Wash.(IR-2); P.I. 163091: Calif.; P.I. 171819 (Turkish): Ore., Wash.(IR-2), Wash.(M); P.I. 171821 (Turkish): Wash.(IR-2); P.I. 174329 (Turkish): Wash.(IR-2), Wash.(M); P.I. 193687: Calif.; P.I. 193688: Calif., Wash.(M); P.I. 193689: Wash.(M); P.I. 193690: Calif.; P.I. 193691: Wash.(M); P.I. 193692: Calif., Wash.(M); P.I. 193693: Calif.; P.I. 193694: Calif., Wash.(M); P.I. 193695: Calif., Wash.(M); P.I. 193696: Calif.; P.I. 193698: Wash.(M); P.I. 193699: Calif., Wash.(IR-2); P.I. 193701 (Glenn Dale 1): Mo., N.Y.*, USDA(Ch), Wash.(IR-2), Wash.(M); P.I. 193702: Wash.(IR-2); P.I. 193720 (Glenn Dale 2): B.C., Calif., Mo., N.Y.*, Wash.(IR-2), Wash.(M); P.I. 194098 (Glenn Dale 3): B.C., Mo., N.Y.*, USDA(Ch), Utah, Wash.(IR-2), Wash.(M); P.I. 194099: Calif., Wash.(M); P.I. 194217 (Glenn Dale 4): B.C., N.Y.*, Wash.(IR-2); P.I. 195000: Wash.(M)

- P. NIPPONICA* var. *KURILENSIS* (Miy.) Wilson: Wash.(P)
- P. PADUS* L.: Calif., Wash.(IR-2), Wash.(M)
- P. PENNSYLVANICA* L.f.: B.C., Calif., Wash.(IR-2)
- P. PLEIOCERASUS* Koehne: Calif.
- P. PSEUDOCERASUS* Lindl.: Calif.; P.I. 18587: USDA(Ch), Calif.
- P. SARGENTII* Rehder: Calif.; C-27196: USDA(Ch), Wash.(IR-2), Wash.(M)
- P. SEROTINA* Ehrh.: B.C., Calif., Wash.(IR-2), Wash.(M)
- P. SEROTINA* var. *SALICIFOLIA* (Kunth) Koehne (*P. CAPULI* Cav.): Wash.(M); P.I. 80632: USDA(Ch); P.I. 89100: USDA(Ch); P.I. 111983: USDA(Ch); P.I. 131236: USDA(Ch)
- P. SERRULATA* Lindl.
 Amanogawa: Calif., Wash.(M)
 Aohade: Calif.
 Beni-higan: Calif.
 Fudanjakura: Calif.
 Fugenzo: Calif.
 Hisakura: B.C., Calif.
 Ingram No. 2: Calif.
 Kwanzan: Calif., N.Y.*, Ore., Wash.(IR-2)*, Wash.(M)
 Minakomi: Calif.
 Mt. Fuji (Ojochin, Shirotae): Calif.
 Naden: Calif., Wash.(M)
 Ochinchima: Calif.
 Pink Atabaki: Calif.
 Spontanea—P.I. 266907: Wash.(P)
 Shimidsu: Calif.
 Shirofugen: Calif., N.Y.*, Ore., Wash.(IR-2), Wash.(M)
 Shogetsu: Calif.
 Tai Haku: B.C.
 Umeneko: Calif.
 Yukon: Wash.(M)
- P. SIEBOLDII* (Carr.) Wittmack: Calif.
- P. SUBHIRTELLA* Miq.—P.I. 266908: Wash.(IR-2), Wash.(P)
 var. *AUTUMNALIS* Makino: Calif., Ore., Wash.(M)
 var. *PENDULA* (Maxim.) Tanaka: Calif.
- P. TOMENTOSA* Thunb.: B.C.; P.I. 36086: Calif., N.D.; P.I. 69056; N.D.; P.I. 69057: N.D., USDA(Ch); P.I. 69058: N.D.
 Drilea: Man., N.D.(F), Wash.(IR-2), Wash.(M), Wyo.
- Orient: Man., Minn., N.D.(F), N.Y., Wash.(IR-2), Wash.(M), Wyo.
- P. VIRENS* (Woot. & Standl.) Shreve: Calif.; C-27075: USDA(Ch)
- P. VIRGINIANA* L.: Wash.(IR-2), Wash.(M)
 var. *DEMISSA* (Torr. & Gray) Torr.: Calif., Wash.(M)
- P. YEDOENSIS* Matsum.: Calif., Wash.(IR-2), Wash.(M)



Redtop Peach

A new peach variety named Redtop was released by the U. S. D. A. in May, 1961. A cross between Sunhigh and an open-pollinated seedling of July Elberta, it was grown and selected at Fresno, California, in cooperation with the Fresno State College Foundation, and tested mainly in California. A handsome peach with unusually firm flesh, it is a very promising fresh market variety for long distance shipment.

The tree of Redtop is vigorous, productive, self-fertile, and seems to have a low chilling requirement. Both tree and fruit are fairly susceptible to bacterial spot.

Fruit of Redtop ripen between Coronet and Redglobe. It is freestone, yellow-fleshed, not quite as large as Redglobe, and of high quality. Redtop fruits are almost round, with a slightly pointed apex, and light pubescence. It has an attractive red blush over three-quarters of the skin surface in California, but not as bright a red color covering about seven-eighths of the surface at Beltsville, Maryland, and at Fort Valley, Georgia. Makes a good canned and frozen product.

Information on budwood sources may be gotten from J. H. Weinberger, U. S. D. A. Field Station, Fresno, California.