

## Sources of Propagating Wood for Apricot Cultivars in the United States and Canada\*

H. W. FOGLE, R. M. PETERSON, JOHN WATSON and H. W. YOUNG†

The following list of apricot cultivars (varieties) and sources of propagating wood is the sixth in a series of such listings for pome and stone fruits prepared by the Fruit Gardens Committee of the American Pomological Society. Previous lists were published in *Fruit Varieties and Horticultural Digest* as follows:

- (1) Apples—9(3): 38-48, 1954
- (2) Pears—11(1): 6-15, 1956
- (3) Peaches and nectarines—13(1): 6-16, 1958
- (4) Cherries—16(1): 2-11, 1961
- (5) Plums—17(3): 45-54, 1963

This list, like the previous ones, was compiled from responses to a questionnaire sent to all institutional and well-known private breeders and variety testers. In the interest of uniformity, the committee adapted these responses in some cases to reflect the generally accepted spelling, preferred synonym, or most appropriate classification. All numbered selections were excluded from the list.

Synonyms are given in parenthesis following the cultivar name, where appropriate. Plant Introduction (P.I.) number, where definitely established, is separated from the variety name by a dash (-). Patents, trademarks, or other restrictions, if applicable, are indicated immediately after the colon. If there are no propagation restrictions, abbreviations of stations which can supply propagating wood are listed alphabetically after the colon. If stations have not identified varieties with a P.I. number, these stations are listed first. Stations identifying vari-

eties with P.I. numbers, if any, follow. Semicolons separate the information for each of the P.I. numbers, which are listed chronologically.

All other number or letter designations or names after a variety refer to collections of the cultivar maintained as distinct entities because of apparent freedom from disease, reputed high production, or other desirable characteristics.

An asterisk (\*) after the location abbreviation indicates that the variety in question at that station is under yellow bud virus restriction. Because of the extensive variety collection at Davis, California, it was considered desirable to list these although they cannot be distributed at present.

Some stations may make a nominal charge for handling and postage in supplying propagating wood. Since the charge, if any, undoubtedly will vary with the amount of material requested, the degree of reciprocal exchange of materials between stations, and several other variables, no attempt is made to set or suggest charges for propagating wood. Each individual request will need to be negotiated with the stations involved.

Botanically, all apricot species fall within the subgenus *PRUNOPHORA* Focke and section *ARMENIACA* (Lam.) Koch. Most apricot cultivars belong to *Prunus armeniaca* L. the Russian (Siberian) apricot, *P. sibirica* L., and the Manchurian apricot, *P. mandshurica* (Maxim.) Koehne, are considered separate species from *P. armeniaca* by some authorities (e.g.

\*Descriptive information for many of the items listed in this publication is presented in *A Survey of Stone Fruit Clones in the United States* compiled by H. H. Fisher, Crops Research Division, USDA at Beltsville, Md. A copy of this publication may be seen at the State Experiment Stations.

†Research members of Fruit Gardens Committee of Amer. Pom. Soc., located at Beltsville, Md., Brookings, S. D., Geneva, N. Y., and Quincy, Fla., respectively.

Rehder in *Manual of Cultivated Trees and Shrubs*) and as botanical varieties of *P. armeniaca* by others (e.g. Bailey in *Hortus Secund* and McFarland et al in *Standardized Plant Names*). In the development of new cultivars, the three species have been hybridized to such an extent that it is difficult or impossible to classify cultivars by discrete species and hybrid groups. The Committee realizes that considerable doubt exists whether *P. sibirica* has been correctly identified in the par-

entage of some hybrid varieties. Incompatibilities which prevent hybrids between certain cultivars, at least of the three species, apparently exist. In this list, the three are classified together in the *P. armeniaca* group except that two items considered bona fide *P. sibirica* are listed as such.

The list of stations that submitted variety lists gives abbreviations which represent the various stations. In parentheses, the person submitting a list for each station is given.

### Stations That Submitted Apricot Variety Lists

Alb.:	Provincial (Alberta) Hort. Sta., Brooks (P. D. Hargrave)
Ark.:	Arkansas Agr. Exp. Sta., Fayetteville (R. C. Rom)
B.C.:	British Columbia Research Station, Canada Dept. Agr., Summerland (K. Lapin)
Cal.:	California Agr. Exp. Sta., Davis (C. O. Hesse and D. O. Walker)
Cal. (F):	U. S. Hort. Field Sta., U. S. Dept. Agr., Fresno (J. H. Weinberger)
Colo.:	Western Slope Branch Sta., Austin (C. L. Peters)
Fla. (G):	Florida Agr. Exp. Sta., Gainesville (R. H. Sharpe)
Fla. (Q):	North Florida Exp. Sta., Quincy (H. W. Young)
Ill.:	Illinois Agr. Exp. Sta., Carbondale (J. B. Mowry)
Iowa:	Bluffs Expt. Fruit Farm, Council Bluffs (C. Doll)
Kan.:	Colby (Kansas) Branch Sta., Colby (E. E. Banbury)
Man.:	Manitoba Experimental Farm, Morden (H. Temmerman)
Minn.:	Minnesota Agr. Exp. Sta., St. Paul (E. Andersen)
Miss.:	Mississippi Agr. Exp. Sta., State College (J. P. Overcash)
Mo.:	Missouri Agr. Exp. Sta., Columbia (O. F. Millikan)
N.D.:	Northern Great Plains Field Sta., U. S. Dept. Agr., Mandan (W. A. Oitto)
N.H.:	New Hampshire Agr. Exp. Sta., Durham (E. M. Meader)
N.J.:	New Jersey Agr. Exp. Sta., New Brunswick (C. Bailey)
N.Y.:	New York State Agr. Exp. Sta., Geneva (R. C. Lamb)
N.S.:	Nova Scotia Research Sta., Canada Dept. Agr., Kentville (R. P. Longley)
Ohio:	Ohio Agr. Exp. Sta., Wooster (R. G. Hill)
Ont.:	Ontario Hort. Exp. Sta., Canada Dept. Agr., Vineland Station (O. A. Bradt)
Ore.:	Oregon Agr. Exp. Sta., Corvallis (Q. B. Zielinski)
Pa.:	Pennsylvania Agr. Exp. Sta., University Park (C. M. Ritter)
S.D.:	South Dakota Agr. Exp. Sta., Brookings (R. M. Peterson)
Tex.:	Texas Agr. Exp. Sta., College Station (J. B. Storey)
Va.:	Virginia Agr. Exp. Sta., Blacksburg (G. D. Oberle)
USDA:	U. S. Plant Introduction Station, U. S. Dept. Agr., Chico, Calif. (L. E. Joley)
Wash. (IR-2):	Interregional Repository, % Irrigation Exp. Sta., Prosser (P. R. Fridlund)
Wash. (M):	Wash. Plant Introduction and Quarantine Station, Moxee, % Irrigation Experiment Station, Prosser (E. C. Blodgett)
Wash. (P):	Irrigation Experiment Station, Prosser (T. K. Toyama)

### Apricot Varieties and Species and Potential Sources of Propagating Wood

<i>Prunus armeniaca</i> L. (including botanical vars. <i>P. sibirica</i> Koch and <i>P. mandshurica</i> Maxim. and hybrids):	Fla.(G); C 26799; N.J.; P.I. 125598; N.J.; P.I. 178808; N.Y.; P.I. 199407; N.Y.; P.I. 199402; N.J.; P.I. 199403; N.Y.;	Miss., N.J.; P.I. 255319; Fla.(Q), Miss., N.H., Wash. (P); P.I. 283029; Tex.
	Abelardo; B. C.	Afterglow; Colo.
	Alaoi; B. C.	Alberge de Tours—P.I. 131481; USDA
	P.I. 199410; N.Y.; P.I. 248779; Fla.(Q),	Aldridge; Colo.

- Alexander: Minn., N. J.  
 Alf Olson: Colo.  
 Amor Leuch—P.I. 104275: USDA  
 Ananas—P.I. 132650: USDA  
 Anda—P.I. 127876: Alb., Cal.\*, Kan., Man., Wash. (M), Wash. (P)  
 Angoumeis—P.I. 109992: USDA  
 Artassi—P.I. 104606: USDA  
 Badam—P.I. 113460: USDA  
 Badami—P.I. 113525: USDA; Badami 8—P.I. 132133: USDA  
 Badeni Eric 2556—P.I. 117681: USDA  
 Bairam Ali: Cal.\*  
 Bakuori—P.I. 90983: USDA  
 Baradjali—P.I. 113527: USDA  
 Barry: Cal.\*  
 Bassett Red: Cal.\*  
 Beauge: Cal.\*  
 Bella di S. Guiliano—P.I. 102431: USDA  
 Bennet: N.Y.  
 Bergeron—P.I. 109993: USDA  
 Bergetti—C 26679: B.C., USDA  
 Black: Cal.\*  
 Black Alexander: P.I. 117682: B.C., USDA  
 Blackman: Cal.\*  
 Blanc—P.I. 121562: USDA  
 Blanchet Fils—P.I. 132652: USDA  
 Blenheim: B.C., N.Y.—C 25881: Cal.\*, Cal. (F), Ore.; P.I. 132085: USDA, Wash. (M); P.I. 136004: USDA, Wash. (M)  
 Blenril: B.C., Cal., Minn., N.J., N. Y., Ont., Ore., USDA, Va., Wash. (IR-2), Wash. (P)  
 Blush: Cal.\*  
 Bokhara—665-T, P.I. 125021: USDA  
 Bolton—P.I. 76200: Cal.\*, USDA  
 Bongaume: Cal.\*  
 Borsi Rozsa: B.C.  
 Boulbon: Cal.\*  
 Bowers: Pat 630, Cal.\*, Ore.  
 Brady: Cal.\*  
 Brayard—P.I. 101849: USDA  
 Breda (Aprikose von Breda, di Breda): B.C., Cal.\*  
 Brooks: Pat. 498: Ore., Wash. (P)  
 Bulida Molira: B.C.  
 Bulida Pouquet: B.C.  
 Butler—P.I. 133926: USDA  
 Camden Superb—P.I. 133520: Cal.\*, USDA  
 Campbellfield's seedling—P.I. 111927: USDA  
 Canino—P.I. 101624: N.J., USDA  
 Carmelos—P.I. 101844: USDA  
 Casaba: Cal.\*  
 Case's Early: B.C.  
 Char Maghaz: B.C.  
 Chinese: Cal.\*, N.J., N.Y., Wash. (IR-2), Wash. (P)  
 Catherine: Cal.\*  
 Chinese Red—C 25510: USDA  
 Chioka: B.C.  
 Chow: Kansas  
 Christensen: Wash. (P)  
 Cluster: Cal.\*  
 Colorado—P.I. 105860: B.C., Cal.\*, USDA  
 Commun: N.Y.; P.I. 131854: USDA  
 Cream: Cal.\*  
 Curtis: Ark., B.C., Mo., N.J., N.Y., Ohio, Ont., S.C.  
 Cutler: Cal.\*  
 d'Allesandria—P.I. 65983: Cal.\*, USDA  
 Dahlrymple: Cal.\*  
 Daravskah—487, P.I. 119861: USDA; P.I. 125020: USDA  
 Dawson Late: Cal.\*  
 Defarge—P.I. 101846: USDA  
 Delgosha Tabrize: B.C.  
 Derby (Derby Royal): Cal.\*, Cal. (F), N.Y.  
 Di Breda: Cal.\*  
 Di Sant Ambrogio—P.I. 65985: USDA  
 Doctor Mascle—P.I. 109997: N.J., USDA  
 Doty: B.C., N.J., N.S., N.Y., Va.  
 Dropmore—P.I. 155428: USDA  
 Earligold: Cal.\*, Mo., Wash. (M), Wash. (P); C 27189: B.C.  
 Earle Orange: Pat. 674, B.C., Cal.\*, Colo., Ill., Iowa, Minn., N.J., N.Y., Ont., Ore., Va., Wash. (P)  
 Earlirl: B.C., Cal., Cal. (F), Minn., N.J., N.Y., Ont., Va., Wash. (IR-2), Wash. (P)  
 Early Bee: Cal.\*, N.Y., Ore., Wash. (M), Wash. (P)  
 Early Cape—P.I. 106067: USDA; P.I. 134002: USDA  
 Early Montgamet: N.J., N.Y., Ont.  
 Early Moorpark: B.C.; P.I. 131084: USDA, Wash. (M), Wash. (P)  
 Ernie Fehr (Fehr): Pat. 503, Wash. (M), Wash. (P)  
 Ertsingtientze seedling—P.I. 69097: USDA  
 Especial: B.C.  
 Fertile de Chatanay—P.I. 102432: USDA  
 Flazier: Cal.\*  
 Fort Ross: Cal.\*  
 Franciscan: Pat. 808, N. Y., Wash. (P)  
 Freitas: Cal.\*  
 Frew: Cal.\*  
 Frogmore Early—P.I. 131442: USDA  
 Fruhaprikose—P.I. 131288: USDA  
 Garlach: Cal.\*  
 Gelbe Fruhe: B. C.  
 Geneva: B.C., N.S., N.Y., Ont., Pa.  
 Giallode Fortane: Cal.\*  
 Gibb: B.C., Cal.\*, Ont.  
 Gilbert: Colo, Wash. (P)  
 Giletan—P.I. 96451: B.C., N.J., USDA; P.I. 101847: USDA  
 Glengarry: B.C.; P.I. 133929: USDA  
 Gold Dollar: Pat. 2254, Wash. (P)  
 Golden: Wash. (P)  
 Golden Delicious: Pat. 2255, Wash. (M), Wash. (P)  
 Golden Giant: Pat. 1053, Cal.\*, Colo., Iowa, Minn., N.Y., Va., Wash. (P)  
 Golden Glow: Minn., N.D.  
 Grace: Cal.\*

\*yellow bud virus restriction

- Great Plains: Cal.\*  
 Griffin Choice: Cal.\*  
 Grosse Blanc Precoce: Cal.\*  
 Grosse Peche: Cal.\*  
 Gros Valla—P.I. 102039: USDA  
 Gustafson: Cal.\*  
 Haffer: Ill., N.J.  
 Hall's Blenheim—P.I. 144644: USDA  
 Hamawi—P.I. 113793: USDA  
 Hardy: N.Y.  
 Hardy Nebraska: S.D.  
 Hardy Northern: N.J.  
 Harris: Colo., Minn., P.I. 128159: USDA  
 Hemskirk(e)—P.I. 141216: USDA, Wash.  
 (IR-2), Wash. (M), Wash. (P)  
 Henderson: B.C., Ill., N.H., N.J., N.S., N.Y.,  
 Pa., Va., Wash. (M), Wash. (P)  
 Holland: Wash. (P)  
 Horvath—P.I. 142467: USDA  
 Howlett: Cal.\*  
 Hulan: N.Y.; P.I. 143954: Cal.\*, Kan., Man.,  
 Minn., N.D., USDA  
 Hungarian Rose: Cal.\*, Iowa, Minn., N.Y.  
 Hungary's Best: Ill.; P.I. 140033: USDA  
 Isabella—P.I. 110283: USDA  
 Jacques—P.I. 121563: USDA  
 Janet: Cal.\*  
 Jap: Cal.\*  
 J. L. Budd: B.C., Cal.\*, Minn., Wash. (M),  
 Wash. (P)  
 Joniska—P.I. 106942: USDA  
 Jumbo: Minn.  
 June Gold: Mo.  
 Jusseaie—13 (P.I. 118826): USDA  
 Kaladen: B.C., Cal.\*  
 Karassia—P.I. 113794: USDA  
 Kayisi—4368 (P.I. 168867): USDA; 4369  
 (P.I. 168868): USDA  
 Khurmai: B.C.; P.I. 113530: USDA  
 Knoble Blenheim: Cal.\*  
 Kohl: Mo.  
 Kondak—234 (P.I. 128396) USDA  
 Krummai—P.I. 119849: USDA  
 Kur Sadyk: B.C.  
 Lalin: Cal.\*, Man., Minn.  
 Lamale: N.J., N.Y.  
 Large Early Montgamet—P.I. 131604: Cal.\*,  
 USDA  
 Large Lemon: N.Y.  
 Large Peach—P.I. 134004: USDA  
 Lasgerd: Mashhad: B.C.  
 Late Yellow: Wash. (P)  
 Lejeune—P.I. 104291: USDA  
 Le Plus Precoce—P.I. 104277: USDA  
 Leslie: N.Y., Ont., Wash. (M), Wash. (P)  
 Lewis: Cal.\*  
 Liaband—P.I. 65990: USDA  
 Lola: Cal.\*  
 Loof's Riesen—P.I. 131155: USDA  
 Luizeb-bouchoi—P.I. 104279: USDA  
 Luizet—P.I. 102434: Cal.\*, USDA  
 Magnaga: Cal.\*  
 Magyar Kajaszi: B.C.  
 Malayer Iran: B.C.  
 Mammoth White: Cal.\*  
 Manchu: B.C., Cal.\*, Man., Minn., N.Y.,  
 Wash. (IR-2)  
 Mandarin—P.I. 143956: Cal.\*, N.D., USDA  
 Mandula Kajaszi: B.C.  
 Mansfield's—P.I. 105862: USDA  
 Mantoy—N.D., N.Y., Wash. (P)  
 Marshall: Cal.\*  
 Mawi—P.I. 104611: USDA  
 Max Gold: B.C.  
 Maxson: Cal.\*  
 McKinley: Cal.\*  
 Meksykanka—P.I. 131040: USDA  
 Meyer Giant: Cal.\*  
 Mien Pa Ta Hsing—P.I. 63308: USDA  
 Miner: Cal.\*  
 Mirzandzhalii 1189 (P.I. 125024): USDA  
 Mohrs: N.J., Va.; P.I. 142446: USDA  
 Monbacher Fruhe: B.C.  
 Moniqui—P.I. 101625: USDA  
 Montgamet: B.C., Cal.(F), N.S., N.Y., Ont.  
 Moongold: B.C., Minn., Mo., N.J., N.Y.  
 Moorpark: P.I. 141217: B.C., Cal.\*, Colo.,  
 Ill.; Minn., N.J., N.Y., Ont., USDA, Va.,  
 Wash. (IR-2)  
 Murgab—P.I. 32834: USDA  
 Muscat Peche—P.I. 117698: USDA  
 Musque—P.I. 104280: USDA  
 Nancy (Aprikose von Nancy): B.C.  
 Naramata: N.J., N.Y., Wash. (M), Wash.  
 (P)  
 Nassir: Tabriz: B.C.  
 Nellie: Cal.\*  
 Newcastle (Newcastle Early): Cal.\*, Cal.  
 (F), Wash. (IR-2), Wash. (M), Wash.  
 (P); C 26656: USDA; P.I. 133587: USDA  
 Ninguta: Man., N.D.; P.I. 144653: USDA  
 Nirgota: Cal.\*  
 Noble: Cal.\*  
 North Platte: Minn.  
 Nugget: Pat. 1651, Cal.\*, Cal.(F), Miss.,  
 N.Y., Ore., Wash. (P)  
 Old Cape: B.C.  
 Orange—P.I. 102051: USDA  
 Orange Blush: B.C.  
 Oranzhevo-Kresny: B.C.  
 Oullins—P.I. 133588: Cal.\*, USDA  
 Parkhill: restricted, Wash. (M), Wash. (P)  
 Particolare—P.I. 65991: Cal.\*, USDA  
 Paviot—P.I. 65992: Cal.\*, N.J., USDA  
 Peach: Cal.\*, N.J.  
 Perfection (Goldbeck): B.C., Cal., Cal.(F),  
 Ill., Minn., N.J., N.Y., Ont., Wash. (IR-2),  
 Wash. (M), Wash. (P); C 27130: USDA  
 Perle aus Mombach: B.C.  
 Pesca di Nancy—P.I. 65994: B.C., USDA  
 Phelps: Col., N.J., Wash. (IR-2), Wash.  
 (P); C 27147: USDA  
 Phillips: Ore.; P.I. 110284: USDA  
 Pike: N.J.  
 Precoce d'Alexandria—P.I. 110002: USDA  
 Precoce de Boulbon: B.C.

- Precoce de Bruel—P.I. 130975: USDA  
 Precoce de Italia—P.I. 65996: USDA  
 Precoce d'Esperen—P.I. 117697: N.J., P.I. 136558: USDA  
 Precoce Giallo—P.I. 105412: USDA  
 Primerizo—P.I. 96453: B.C., USDA: P.I. 101853: USDA  
 Pringle: Cal.\*  
 Pringle Late: Cal.\*  
  
 Rahowszky: B.C.  
 Reale—P.I. 65997: USDA  
 Red: P.I. 91662: N.J., USDA  
 Red Beauty: Cal.\*  
 Red Masculine—P.I. 111928: USDA  
 Redsweet: Pat. 1732, Cal.\*, Cal.(F), Ore., Wash. (P)  
 Reeves: Pat. 693, Cal.\*, Cal.(F), Wash. (IR-2), Wash. (M), Wash. (P)  
 Re Imberto—P.I. 110004: USDA  
 Reliable: B.C., N.Y., Ont., Ore., Wash. (IR-2), Wash. (M)  
 Riland: Pat. 74, B.C., Cal.\*, Cal.(F), Colo., Ill., N.J., N.Y., Ore., Wash. (IR-2), Wash. (M), Wash. (P): C 26703: USDA  
 Rivers: Cal.\*  
 Rivers Early: Cal.\*  
 Robust: Minn., N.Y.  
 Rosseggiante—P.I. 65998: USDA  
 Routiers Peach: Cal.\*, Ore., Wash. (M), Wash. (P)  
 Roxburgh: Cal.\*  
 Royal: B.C., Cal., Cal.(F), N.S., N.Y., Wash. (IR-2), Wash. (M), Wash. (P): C 26655: B.C., USDA; P.I. 133590: USDA; P.I. 162447: USDA  
 Rualt: Cal.\*  
 Rubinowy: B.C.  
  
 Saint Ambroise: Cal.\*  
 Salgirsky—429, P.I. 119863: USDA  
 Sanpin: Man., Minn.  
 Sansin: P.I. 148033: USDA  
 Sardinian: Cal.\*  
 Schick—P.I. 127058: USDA  
 Scout: Alb., Cal.\*, Man., Minn., Mo., N.D., N.J., N.Y., S.D., Wash. (IR-2), Wash. (M); P.I. 132840: USDA  
 Shakar Para: B.C.  
 Sharpe: Cal.\*  
 Shense (Yakimene, Acme)—P.I. 142469: Cal.\*, Colo., N.J., N.S., N.Y., USDA  
 Shipley Blenheim—P.I. 133523: USDA  
 Shirassky—P.I. 118824: USDA  
 Shirpaivan 1070 (P.I. 119848) USDA; P.I. 125022: USDA  
 Sing: Cal.\*, Kan., Man., Minn.  
 Sino: Kan., Minn., N.D., N.Y.; P.I. 143958: USDA  
 Smyrna: Cal.\*, C 26671: USDA  
 Snowball: Cal.\*  
 Sophia: B.C., Cal.\*; o.p. 17 (P.I. 199395): USDA  
 Southwick: B.C., N.Y., Wash. (P)  
 Sovietsky: B.C.  
 Sparks Mammoth: Cal.\*  
  
 Starglow: N.J., Wash. (M), Wash. (P)  
 Starkrimson: Cal.\*, Colo.  
 Steindorf: Pat. pend., Cal. (F)  
 Stella: B.C., Cal.\*, Ill., Minn., N.D., N.J., N.Y., Wash. (P)  
 Stewart (Steward): Cal.\*  
 Sucken: Cal.\*  
 Sucre de Holub—P.I. 162448: USDA  
 Sugar: Cal.\*  
 Sun Glo: Pat. 751, B.C., Colo., Ill., N.J., N.Y., Wash. (IR-2), Wash. (M), Wash. (P)  
 Sungold: B.C., Minn., N.J., N.Y.  
 Sunshine: Man., Minn., Mo., N.Y., S.D.  
 Superb: B.C., Cal., Ill., Minn., N.Y., Wash. (M)  
 Suphany: B.C.  
 Tabossa (Syn. Krasnoshchakaro)—B.C.; P.I. 132139: USDA  
 Talbert: N.Y.  
 Tentazione: Cal.\*  
 Tilton: B.C., Cal., Cal.(F), N.J., N.Y., Ont., Wash. (IR-2), Wash. (M), Wash. (P); C 25882: USDA  
 Tola: Minn.; P.I. 127886: USDA  
 Tourcott: Wash. (M), Wash. (P)  
 Toyahvale: Cal.\*  
 Trevatt: B.C., Cal.\*, P.I. 202613: USDA  
 Triumph aus Trier: B.C.  
  
 Ungarische Beste: B.C.; P.I. 132289: USDA  
 Uspiekh: B.C., Trade Mark  
  
 Valnur: Pat. pend., Wash. (P)  
 Van Ness: Minn.  
 Victoria Giant: N.Y.  
  
 Wenatchee (Wenatchee Moorpark): B.C., Cal.\*, Ill., N.J., N.Y., Wash. (IR-2), Wash. (M), Wash. (P)  
 Wilson Delicious: B.C., Cal.\*, Iowa, Minn., Mo.; P.I. 145772: N.J., USDA, Va.  
 Worley's Peach: N.J., N.Y.  
  
 Yankton: Minn.  
 Yubileyny: B.C.  
  
 Zino: Cal.\*  
 Zucherino di Holub: Cal.\*  
 Zun: Cal.\*, Kan., Man., Minn., N.D.; P.I. 143959: USDA  
  
 †*Prunus armeniaca* × *P. Besseyi*  
 Yuksa: B.C., N.D.  
*Prunus brigantina* Vill.: Cal.\*  
  
 †*Prunus* × *dasycarpa* Ehrh. (*P. armeniaca* × *P. cerasifera*)  
 Flor Tsiran: B.C.; Cal.\*; 2489: USDA  
 Irany Oliu: B.C.  
 Uriuko—Sliva 1276 (P.I. 132143) USDA  
 Zaroliu—P.I. 132144: USDA  
*Prunus mume* Sieb. & Zucc.: USDA; P.I. 26886: N.J.; P.I. 45523: Cal.\*; P.I. 55500: N.J.  
*Prunus sibirica* L.: S.D., USDA  
  
 †Note: See the plum list mentioned in the introduction for other plumcots.